

Product assessment

EPD reference: EPD-IES-0003986:002

ECOproduct method: v5.3






Bolon AB

Woven vinyl flooring with acoustic backing



The assessment is valid until 04.06.2030, provided published on <https://nobb.no>
This printed certificate is valid until 31.12.2026.

No. 7000



Manufacturer: Bolon AB

Generic product: Vinyl

Product group: Flooring

Assumed technical lifetime: 20-30 years

Moisture resistance: Not affected

Cleanability: Good

Reference value GWP: 8.3 kg/m²⁷⁾

Structure Components:

255 Floor Surface

Distribution of energy consumption used as raw materials:

27.46% renewable primary energy

72.54% non renewable primary energy

Sequestration of biogenic carbon:

0.1 kg of biogenic carbon is stored in the product

This product qualifies to collect points in Mat 02 and fulfills the minimum requirement in Crit. 1, and Hea 02 in BREEAM-NOR technical manual v6.

⁷⁾ The reference value for global warming potential is based on other products within the same product group registered in the ECOproduct database. This reference value is adjusted 31.12. each year and may affect the score for GWP in the subsequent year.

ECOproduct assesses the actual climate and environmental impact of construction products within the four categories above, based on a product specific environmental declaration (EPD) according to ISO 14025 and NS-EN 15804.

The product is ranked on a scale of 1-8 in each of these environmental categories, where 1 is the best. The green, white and red symbol appears in addition to the characters in order to visualize the assessment score.

Ranking:

1 Excellent

2 Good

3 Average to good

4 Average

5 Adjoining average

6 Marginally average

7 Poor

8 Very poor (or incomplete)

Product assessment

EPD reference: EPD-IES-0003839:002

ECOproduct method: v5.3






Bolon AB

Woven vinyl flooring delivered as rolls



The assessment is valid until 04.06.2030, provided published on <https://nobb.no>
This printed certificate is valid until 31.12.2026.

No. 7001



Manufacturer: Bolon AB

Generic product: Vinyl

Product group: Flooring

Assumed technical lifetime: 20-30 years

Moisture resistance: Not affected

Cleanability: Good

Reference value GWP: 8.3 kg/m²^{*)}

Structure Components:

255 Floor Surface

Distribution of energy consumption used as raw materials:

30.69% renewable primary energy
69.31% non renewable primary energy

Sequestration of biogenic carbon:

0.08 kg of biogenic carbon is stored in the product

This product qualifies to collect points in Mat 02 and fulfills the minimum requirement in Crit. 1, and Hea 02 in BREEAM-NOR technical manual v6.

^{*)} The reference value for global warming potential is based on other products within the same product group registered in the ECOproduct database. This reference value is adjusted 31.12. each year and may affect the score for GWP in the subsequent year.

ECOproduct assesses the actual climate and environmental impact of construction products within the four categories above, based on a product specific environmental declaration (EPD) according to ISO 14025 and NS-EN 15804.

The product is ranked on a scale of 1-8 in each of these environmental categories, where 1 is the best. The green, white and red symbol appears in addition to the characters in order to visualize the assessment score.

Ranking:

 1 Excellent
2 Good
3 Average to good

 4 Average
5 Adjoining average
6 Marginally average

 7 Poor
8 Very poor (or incomplete)

Product assessment

EPD reference: EPD-IES-0003985:002

ECOproduct method: v5.3






Bolon AB

Woven vinyl flooring delivered as tiles



The assessment is valid until 04.06.2030, provided published on <https://nobb.no>
This printed certificate is valid until 31.12.2026.

No. 7002



Manufacturer: Bolon AB

Generic product: Vinyl

Product group: Flooring

Assumed technical lifetime: 20-30 years

Moisture resistance: Not affected

Cleanability: Good

Reference value GWP: 8.3 kg/m²⁷⁾

Structure Components:

255 Floor Surface

Distribution of energy consumption used as raw materials:

29.02% renewable primary energy
70.98% non renewable primary energy

Sequestration of biogenic carbon:

0.1 kg of biogenic carbon is stored in the product

This product qualifies to collect points in Mat 02 and fulfills the minimum requirement in Crit. 1, and Hea 02 in BREEAM-NOR technical manual v6.

⁷⁾ The reference value for global warming potential is based on other products within the same product group registered in the ECOproduct database. This reference value is adjusted 31.12. each year and may affect the score for GWP in the subsequent year.

ECOproduct assesses the actual climate and environmental impact of construction products within the four categories above, based on a product specific environmental declaration (EPD) according to ISO 14025 and NS-EN 15804.

The product is ranked on a scale of 1-8 in each of these environmental categories, where 1 is the best. The green, white and red symbol appears in addition to the characters in order to visualize the assessment score.

Ranking:

 1 Excellent
2 Good
3 Average to good

 4 Average
5 Adjoining average
6 Marginally average

 7 Poor
8 Very poor (or incomplete)